


Harnesses Page 12



Lanyards Page 14



3.6M Hardware Page 25



Hi-Vis Harness Page 8



Harnesses Page 5



Lifelines Page 23



Bags Page 33



www.gmesupply.com
(800) 940-6762

***Performance-designed safety products
for the professionally trained worker.***



Table of Contents

| | |
|--|--------------------------|
| Harnesses | 1 |
| Wind Energy Fall Protection | 12 |
| Lanyards | 13 |
| Rebar Assemblies | 21 |
| Rope Grabs & Positioning Assemblies | 22 |
| Lifelines | 23 |
| Snaphooks | 24 |
| Carabiners | 25 |
| Anchorage | 26 |
| Self Retracting Lifelines | 28 |
| EZE-Man® Auto Descent Devices, SealPac | 29 |
| Fall Protection Kits | 30 |
| Work Belts / Bosun’s Seats | 32 |
| Utility & Bolt Bags | 33 |
| Confined Space Systems | 34 |
| Retail Packaging | 36 |
| Back Support | 37 |
| Index | 38 |
| Sizing Charts | Inside Back Cover |
| Industry Symbols | Inside Back Cover |

Personal and Professional Fall Protection Catalog

Welcome to the latest edition of the Elk River Personal Fall Protection Catalog. We have created this catalog to be your expert go-to source for all your personal and professional fall protection needs.

We are also very excited about our WindEagle™ Series Harness Line, Panther® Series SRLs, EZE-Man® Auto Descent Devices and our wide range of ANSI Z359.1-2007 compliant lanyards. We offer a complete line of readily available products at competitive price points.

Our uncompromising quality contributes to your company’s commitment to safety. Our commitment is documented. Elk River has earned ISO 9001- 2000 Certification, testimony to years of excellence not only in product design, development and production, but also in marketing, purchasing and customer service.

As our slogan says, “where technology meets traditional values”... with this in mind, we give you the products you need, when you need them, backed by customer service representatives ready to discuss your specific application. This combination of values, expertise and technology allows us to provide the highest level of quality and service.

We know you have choices. Thank you for your business and continued interest in Elk River’s products.

The Elk River Personal Fall Protection Team.



Elk River’s New WindEagle™ Harness is designed specifically for wind energy applications. See Page 12 for a complete description.

Eagle™ Series Harnesses

So comfortable you'll forget you have it on:

Designed for nonstop comfort, the Eagle™ Series will have your workers motivated to use fall protection equipment. The secret's in the way it's made. Craftsmanship, care and pride, with a critical eye to worker safety go into every Eagle™ Series Harness. The world-class design and construction creates "top-of-the-line" comfort for all day wear.

Eagle™ Series Harnesses

Eagle™ Harnesses



- Three steel D-rings: at back and hips
- Shoulder pads
- Parachute mating buckle on chest strap
- Tongue buckles on leg straps
- Five inch padded backpad
- Removable tool belt
- Carry-all bag
- Made of polyester and nylon

(Available Sizes) Part Number:
(XS) 65300, (S) 65301, (M) 65302,
(L) 65303, (XL) 65304,
(2XL) 65335 & (3XL) 65336



Eagle™ Series Harnesses

Eagle Lite™ QC Harnesses



- Three steel D-rings: at back and hips
- Chest strap restricter
- Breakaway lanyard clips
- Quick connect buckles on chest and leg straps
- Six-inch padded backpad
- Removable tool belt
- Carry-all bag
- Made of polyester and nylon

(Available Sizes) Part Number:
(S) 62321, (M) 62322,
(L) 62323, (XL) 62324,
(2XL) 62325 & (3XL) 62326



Eagle™ Series Harnesses

Eagle Lite™ Harnesses



- Three steel D-rings: at back and hips
- Chest strap restricter
- Breakaway lanyard clips
- Parachute mating buckles on chest strap
- Tongue buckles on leg straps
- Six-inch padded backpad
- Removable tool belt
- Carry-all bag
- Made of polyester and nylon

(Available Sizes) Part Number:
(S) 62311, (M) 62312,
(L) 62313, (XL) 62314,
(2XL) 62315 & (3XL) 62316




**Eagle™ Series
 Harness and
 Carry-all Bag
 (M) 65302**



Elk River, Inc.
 Personal Fall Protection

Eagle™ Series Harnesses

Iron Eagle™ Harnesses



- Three steel D-rings: at back and hips
- Parachute mating buckle on chest strap
- Tongue buckles on chest and leg straps
- Five-inch padded backpad
- Removable tool belt
- Carry-all bag
- Made of polyester and nylon

(Available Sizes) Part Number:
(XS) 65320, (S) 65321, (M) 65322,
(L) 65323, (XL) 65324,
(2XL) 65325 & (3XL) 65326



Eagle™ Series Harnesses

Eagle Tower™ Harnesses



- Six steel D-rings: at back, chest, hips, and seat strap
- Breakaway lanyard clips
- Shoulder pads
- Quick-connect buckles on chest strap
- Tongue buckles on leg straps
- Five-inch padded backpad
- Removable tool belt
- Two accessory rings attached to center-back of backpad
- Carry-all bag
- Made of polyester and nylon

(Available Sizes) Part Number:
(XS) 66610, (S) 66611, (M) 66612,
(L) 66613, (XL) 66614, (2XL) 66615
& (3XL) 66616



Eagle™ Series Harnesses

Eagle™ QC Series Harnesses



- Four steel D-rings: at back, hips, and chest
- Quick-connect buckles on chest and leg straps
- Breakaway lanyard clips
- Shoulder pads and removable tool belt
- Carry-all bag
- Made of polyester and nylon

(Available Sizes) Part Number:
(S) 65451, (M) 65452,
(L) 65453, (XL) 65454,
(2XL) 65455 & (3XL) 65456



Eagle™ Series Harnesses

Eagle Tower™ LX Harnesses



- Six steel D-rings: at back, chest, hips, and seat strap
- Quick-connect buckle on chest
- Tongue buckles on leg straps
- Aluminum bar in seat strap
- Breakaway lanyard clips
- Shoulder pads and removable tool belt
- Five-inch padded backpad and seat strap
- Two accessory rings attached to center-back of backpad
- Carry-all bag
- Made of polyester and nylon

(Available Sizes) Part Number:
(XS) 66620, (S) 66621, (M) 66622,
(L) 66623, (XL) 66624,
(2XL) 66625 & (3XL) 66626



Eagle™ Carry-All bag included with all Eagle™ Series Harnesses on this page.



Elk River, Inc.
 Personal Fall Protection

Eagle™ Series Harnesses

Eagle Tower™ QC Harnesses



- Six steel D-rings: at back, chest, hips, and seat strap
 - Breakaway lanyard clips
 - Shoulder pads and removable tool belt
 - Quick connect buckles on chest and tongue buckles on leg straps
 - Five inch padded backpad and seat strap
 - Two accessory rings attached to center-back of backpad
 - Carry-all bag
 - Made of polyester and nylon
- (Available Sizes) Part Number:**
(XS) 66630, (S) 66631, (M) 66632,
(L) 66633, (XL) 66634,
(2XL) 66635 & (3XL) 66636



Eagle™ Series Harnesses

Eagle Tower™ QC-XT Harnesses



- Six steel D-rings: at back, chest, seat strap, and 70° angled hips D-rings
 - Removable aluminum bar in seat strap
 - Breakaway lanyard clips
 - Shoulder pads and removable tool belt
 - Quick-connect chest and leg straps
 - Removable tool belt
 - Tool loops and rings
 - Carry-all bag
 - Made of polyester and nylon
- (Available Sizes) Part Number:**
(XS) 66640, (S) 66641, (M) 66642,
(L) 66643, (XL) 66644,
(2XL) 66645 & (3XL) 66646



**Eagle™ Series
 Harness
 (M) 65452**



Carry-all Bag Included



Pinnacle® Series Harnesses

Our roughest, toughest, Smartest harness to date:

The Pinnacle® Harness is a powerful Masterpiece of safety engineering. It is Contoured to move effortlessly with your Body through the work day. The Innovative Y-Design, with the first Integrated inline Energy-Absorber, incorporates padding at critical stress points. To protect yourself powerfully in comfort and with flexibility choose the Pinnacle® Harness.

Pinnacle® Series Harnesses

Pinnacle® Harnesses



- Three D-rings: steel D-ring at the back And hips
- Quick-connect chest and leg straps
- Removable tool belt
- Fully integrated in-line Energy-Absorber
- Comfort support padding at shoulders, Dorsal, waist and leg straps
- Tool loops and tool rings
- Breakaway lanyard clips
- Made of polyester and nylon

(Available Sizes) Part Number:
(S) 68301, (M) 68302, (L) 68303,
& (XL) 68304



Back View

Pinnacle® Series Harnesses

Pinnacle® Tower AL 6 D-ring



- Six D-rings: steel D-ring at the chest, aluminum D-rings at the back, hips, and saddle
- Quick-connect chest and leg straps
- Five-inch padded backpad
- Removable tool belt
- Fully integrated in-line Energy-Absorber
- Adjustable saddle with easily removable aluminum bar
- Tool loops and tool rings
- Breakaway lanyard clips
- Made of polyester and nylon

(Available Sizes) Part Number:
(S) 68611, (M) 68612, (L) 68613,
& (XL) 68614



Back View



Removable Aluminum Bar

Pinnacle® Series Harnesses

Pinnacle® Tower 6 D-ring



- Six D-rings: steel D-ring at the chest, back, hips, and saddle
- Quick-connect chest and leg straps
- Five-inch padded backpad
- Removable tool belt
- Adjustable saddle with easily removable aluminum bar
- Fully integrated in-line Energy-Absorber
- Tool loops and tool rings
- Breakaway lanyard clips
- Made of polyester and nylon

(Available Sizes) Part Number:
(S) 68601, (M) 68602, (L) 68603,
& (XL) 68604



Back View



Removable Aluminum Bar



Master® Series Harnesses

What makes this harness system like no other?

The concept of a total work system, The Master® Series combines a full-feature harness with a removable belt, supported by a four-inch anti-fatigue backpad. The Master® Series provides the worker with a multi-function work system in a single unit.



Master® Series Harnesses

WearMaster® Series Harnesses

- Three steel D-rings: at back and hips
- Parachute mating buckle on chest and leg straps
- Adjustable shoulder strap with shoulder pads
- Removable tool belt
- Four inch backpad
- Made of polyester and nylon

(Available Sizes) Part Number:
(XS) 74300, (S) 74301, (M) 74302,
(L) 74303, (XL) 74304



Master® Series Harnesses

WorkMaster® 3 D-ring Harnesses



- Three steel D-rings: at back and hips
- Parachute mating buckle on chest strap
- Adjustable shoulder strap with shoulder pads
- Removable tool belt
- Four-inch back pad
- Tongue buckles on leg straps
- Made of polyester and nylon

(Available Sizes) Part Number:
(XS) 75300, (S) 75301, (M) 75302,
(L) 75303, (XL) 75304,
(2XL) 75335, (3XL) 75336



Master® Series Harnesses

TowerMaster™ Series LE 4 D-ring Harnesses



- Four steel D-rings: at back, hips and chest
- Parachute mating buckle on chest strap
- Adjustable shoulder strap with shoulder pads
- Removable tool belt
- Four-inch back pad
- Tongue buckles on leg straps
- Made of polyester and nylon

(Available Sizes) Part Number:
(XS) 75420, (S) 75421, (M) 75422,
(L) 75423, (XL) 75424, (2XL) 75425,
(3XL) 75426,



Master® Series Harnesses

WorkMaster® Harnesses



- One steel D-ring center of back
- Parachute mating buckle on chest strap
- Adjustable shoulder strap with shoulder pads
- Removable tool belt
- Four-inch back pad
- Tongue buckles on leg straps
- Made of polyester and nylon

(Available Sizes) Part Number:
(XS) 75100, (S) 75101, (M) 75102,
(L) 75103, (XL) 75104



Master® Series Harnesses

Tower SaddleMaster Series LE 6 D-ring Harnesses



- Six steel D-rings: center of back, hips, chest, and seat straps
- Quick-connect buckle on chest strap
- Adjustable shoulder straps with shoulder pads
- Removable tool belt
- Four-inch back pad
- Tongue buckles on leg straps
- Breakaway lanyard clips
- Made of polyester and nylon

(Available Sizes) Part Number:
(XS) 76620, (S) 76621, (M) 76622,
(L) 76623, (XL) 76624



Freedom® Series Harnesses

Durability and comfort:

Many consider Elk River's Freedom Series to represent the ultimate in comfort and safety.

Freedom® Series Harnesses

EZE-Wear™ Harnesses



- One steel D-ring: center of back
- Full-strength chest strap with mating buckle connection
- Sub-pelvic strap
- Tongue buckle leg straps
- Made of polyester and nylon

(Available Sizes) Part Number:
(S-L) 52102, (L-XL) 52104



Freedom® Series Harnesses

FreedomFlex™ QC Harnesses



- One steel D-ring: center of back
- Flexible shoulder straps for all day comfort
- Shoulder strap adjusters for non-binding comfort
- Quick-connect buckles at chest and leg strap
- Breakaway lanyard clips
- Sub-pelvic strap
- Made of polyester

(Available Sizes) Part Number:
(M-2XL) 47169

Three D-ring Version: (M-2XL) 47369



Freedom® Series Harnesses

EZE-Wear™ Harnesses



- One steel D-ring: center of back
- Full-strength chest strap with mating buckle connection
- Belt loop slots at waist
- Sub-pelvic strap
- Tongue buckle leg straps
- Made of polyester and nylon

(Available Sizes) Part Number:
(S-L) 52112, (L-XL) 52114



Freedom® Series Harnesses

FreedomFlex™ Harnesses



- Three steel D-rings: center of back & hips
- Flexible shoulder straps for all day comfort
- Shoulder strap adjusters for non-binding comfort
- Parachute mating buckles at chest strap
- Tongue buckle on leg straps
- Sub-pelvic strap
- Made of polyester and nylon

(Available Sizes) Part Number:
(M-2XL) 47349

One D-ring Version: (M-2XL) 47149



Freedom® Series Harnesses

EZE-Wear™ Harnesses



- One steel D-ring: center of back
- D-ring on each hip
- Full-strength chest strap with mating buckle connection
- Sub-pelvic strap
- Tongue buckle leg straps
- Made of polyester and nylon

(Available Sizes) Part Number:
(S-L) 52302, (L-XL) 52304



**Freedom® Series
 EZE-Wear™ Harness
 (S-L) 52302**

Freedom® Series Harnesses

EZE-Fit™ Harnesses



- One steel D-ring: center of back
- Adjustable shoulder straps
- Parachute mating buckles chest strap
- Sub-pelvic strap
- Parachute mating buckles on leg straps
- Made of polyester

(Available Sizes) Part Number:
(S-L) 53102, (L-XL) 53104



Freedom® Series Harnesses

Black StageHand Harnesses

- One steel D-ring: center of back
- Parachute mating buckles on chest strap
- Parachute mating buckles on leg straps
- Reduced visibility
- Made of polyester

(Available Sizes) Part Number:
**(S-L) 57102
 (L-XL) 57104**

Three D-ring versions:
**(S-L) 57302
 (L-XL) 57304**



Freedom® Series Harnesses




Freedom® Harnesses

- One steel D-ring: center of back
- Parachute mating buckles chest strap
- Sub-pelvic strap
- Parachute mating buckles on leg straps
- Made of polyester

(Available Sizes) Part Number:
(S-L) 55102, (L-XL) 55104



Freedom® Series Harnesses



Freedom® Harnesses

- Three D-rings: center of back and hips
- Parachute mating buckles chest strap
- Sub-pelvic strap
- Parachute mating buckles on leg straps
- Made of polyester

(Available Sizes) Part Number:
(S-L) 55302, (L-XL) 55304



**Freedom® Series
 Vested Harness,
 Safety Green
 (M-XL) 55394**

New

Freedom® Series Harnesses

Freedom® Vest Harnesses



55393



55394

- High-visibility **Orange** or **Safety Green** vest
- Snap-on design
- Three D-rings: center of back and hips
- Parachute mating buckles chest strap
- Sub-pelvic strap
- Parachute mating buckles on leg straps
- Made of polyester
- ANSI Class 2 Vest
- One size fits most

(Available Sizes) Part Number:
(M-XL) 55393 Orange
(M-XL) 55394 Safety Green



ConstructionPlus® Harnesses with Integrated Lanyard

A comfortable fit for any budget:

The one-size fits most ConstructionPlus® (CP+®) Series brings the economical quality alternative to the fall protection harness market.

ConstructionPlus® Harnesses

CP+® Harnesses



- One steel D-ring: center of back
- A fully integrated in-line 4' NoPac® Energy-Absorbing lanyard attached to D-ring center of back
- Parachute mating buckles on chest and leg straps
- Snaphook **3.6M Gate**
- Made of polyester

(One Size Fits Most) Part Number: (S-XL) 48112



Back Close-up

ConstructionPlus® Harnesses

CP+® Harnesses



- Soft attachment at D-slider
- A fully integrated in-line 6' NoPac® Energy Absorber lanyard attached center of back
- Parachute mating buckles on chest and leg straps
- Snaphook **3.6M Gate**
- Made of polyester

(One Size Fits Most) Part Number: (S-XL) 48013



Back Close-up at Slider

ConstructionPlus® Harnesses

CP+® Harnesses



- One steel D-ring: center of back
- A fully integrated in-line 6' NoPac® Energy-Absorbing lanyard attached to the D-ring at center of back
- Parachute mating buckles on chest and leg straps
- Snaphook **3.6M Gate**
- Made of polyester

(One Size Fits Most) Part Number: (S-XL) 48113



Back Close-up

ConstructionPlus® Harnesses

CP+® Harnesses



- One steel D-ring: center of back
- A fully integrated in-line 6' NoPac® Energy-Absorbing lanyard attached to the D-ring at center of back
- Tongue buckle leg straps
- Parachute mating buckles on chest
- Snaphook **3.6M Gate**
- Made of polyester and nylon

(One Size Fits Most) Part Number: (S-XL) 48163



Back Close-up



ConstructionPlus® Harnesses



CP+® Harnesses

- One sliding steel D-ring center of back
- Parachute mating buckles on chest strap
- Tongue buckles on leg straps
- Made of polyester and nylon

(One Size Fits Most) Part Number:
(S-XL) 48153



ConstructionPlus® Harnesses



CP+® Harnesses

- Three D-rings: center of back and hips
- Parachute mating buckles on chest strap
- Tongue buckles on legs straps
- Made of polyester and nylon

(One Size Fits Most) Part Number:
(S-XL) 48353



ConstructionPlus® Harnesses



CP+® Harnesses

- One sliding steel D-ring center of back
- Parachute mating buckles on chest and leg straps
- Made of polyester

(One Size Fits Most) Part Number:
(S-XL) 48103



TowerMate™ Harnesses



**TowerMate™
LE 2 D-ring Harnesses**

- Two Steel D-rings located at back and chest
- Quick-connect buckle on chest strap
- Mating buckle on leg straps
- Adjustable shoulder straps
- Breakaway lanyard clips
- Made of polyester

(Available Sizes) Part Number:
(S-L) 56222, (L-XL) 56224



ConstructionPlus® Harnesses



CP+® Harnesses

- Three D-rings: D-ring center of back, one each hip,
- Parachute mating buckles on chest and leg straps
- Made of polyester

(One Size Fits Most) Part Number:
(S-XL) 48303



TowerMate™ Harnesses



**TowerMate™
LE 4 D-ring Harnesses**

- Four Steel D-rings located at back, chest and hips
- Quick-connect buckle on chest strap
- Mating buckle on leg straps
- Adjustable shoulder straps
- Breakaway lanyard clips
- Made of polyester

(Available Sizes) Part Number:
(S-L) 56422, (L-XL) 56424



Universal Series Harnesses

The perfect fit for all your needs:

The Universal full body harnesses combine the simplicity of easy functional design with the economy of one size fits many users. Designed to fit most workers in the range of 130 to 350 pounds. This versatile and useful universal fit harness features spring-loaded adjustment buckles on the shoulder straps for easy adjustment and a comfortable custom fit.

Universal Series Harnesses



Universal Harnesses

- Three steel D-rings: at back and hips
- Shoulder strap adjusters
- Parachute Mating Buckles on chest and leg straps
- Made of polyester and nylon

(One Size Fits Most)
Part Number: (M - 2XL) 42309



Universal Series Harnesses



Universal Harnesses

- One steel D-ring: center of back
- Shoulder strap adjusters
- Parachute Mating Buckles on chest and leg straps
- Made of polyester and nylon

(One Size Fits Most)
Part Number: (M - 2XL) 42109



Universal Series Harnesses



Universal Harnesses

- Three steel D-rings: at back and hips
- Shoulder strap adjusters
- Parachute mating buckles on chest strap
- Tongue buckles on leg straps
- Made of polyester and nylon

(One Size Fits Most)
Part Number: (M - 2XL) 42359



Universal Series Harnesses



Universal Harnesses

- One steel D-ring: center of back
- Shoulder strap adjusters
- Parachute Mating Buckles on chest strap
- Tongue buckles on leg straps
- Made of polyester and nylon

(One Size Fits Most)
Part Number: (M - 2XL) 42159



Universal Series Harnesses



Universal Harnesses

Commonly Used in a Confined Space

- Five steel D-rings: at center of back, shoulder and hips
- Shoulder strap adjusters
- Parachute mating buckles on chest strap
- Tongue buckles on leg straps
- Made of polyester and nylon

(One Size Fits Most)
Part Number: (M - 2XL) 42559



New

Wind Energy Fall Protection

WindEagle™ Series Harnesses

WindEagle™ Harnesses



- Four steel D-rings: at back, hips and chest
- Quick-connect chest and leg strap
- **Large comfort D-ring slider at back**
- Leg pads
- Made of nylon and polyester

(Available Sizes) Part Number:
 (S-L) 62432
 (L-XL) 62434



WindEagle™ Series Harnesses

WindEagle™ LE Harnesses



Common Back View

- Four steel D-rings: at back, hips and chest
- Quick-connect chest and leg straps
- **Large comfort D-ring slider at back**
- Removable tool belt
- Waist pads
- Shoulder and leg pads
- Designed for positioning work and rescue
- Hip D-rings support sub-pelvic region
- Made of nylon and polyester

(Available Sizes) Part Number:
 (S) 62451, (M) 62452
 (L) 62453, (XL) 62454
 (2XL) 62455, (3XL) 62456



SKYLOTEC Harnesses

Skyfizz Harnesses



- Three D-rings: at back and hips
- One fixed D-ring center of chest
- Aluminum Quick-connect buckles at chest and leg straps
- Comfort back and leg padding
- Made of nylon and polyester

(Available Sizes) Part Number:
 (S-L) 43202
 (L-XL) 43204



SKYLOTEC Harnesses

Wind Motion Harnesses



Back Pad Back View Close Up

- Three steel D-rings: at back and hips
- One O-ring center of chest for ladder climbing
- Five Equipment Eyelets at waist pad
- Aluminum Quick-connect buckles at chest waist and leg straps
- Lumbar Back Support
- Tool belt
- Made of nylon and polyester

(Available Sizes) Part Number:
 (S-L) 44402
 (L-XL) 44404




TX-12 Flex-NoPac® Rescue Ring Energy-Absorbing Lanyards

Nylon & Polyester Web, Energy-Absorbing

- 1-1/2" x 6', Twin Leg, CenturionZ Snaphook and Rebar Hook on each leg, with **Rescue Rings** and steel connectors, Stretches 4.5'-6'
- 3.6M Gate Part Number: 35679***

Designed for Factor 2 falls
 or
 worker mass 200lbs. to 386lbs.



Nylon & Polyester Web, Energy-Absorbing

- 1-1/2" x 6', Twin Leg, Captive Eye Aluminum Carabiner and Auto-lock carabiner on each leg, with **Rescue Rings** and aluminum connectors, Stretches 4.5'-6'
- 3.6M Gate Part Number: 35689***

Designed for Factor 2 falls
 or
 worker mass 200lbs. to 386lbs.

*See instructions for details.



Elk River, Inc.
 Personal Fall Protection

GAC ZORBER® Lanyards

Galvanized Aircraft Cable, Energy-Absorbing

- 1/4" x 6', Zsnaphook each end
3.6M Gate Part Number: 11306
- 1/4" x 6', Twin Leg, Zsnaphook and on each leg
3.6M Gate Part Number: 11326

- 1/4" x 4', Zsnaphook and Rebar Hook
3.6M Gate Part Number: 11504
- 1/4" x 6', Zsnaphook and Rebar Hook
3.6M Gate Part Number: 11506

NoPac® Web Lanyards

Polyester Web, Energy-Absorbing

- 1-1/4" x 4', Zsnaphook each end
3.6M Gate Part Number: 35214
- 1-1/4" x 6', Zsnaphook each end
3.6M Gate Part Number: 35216

- 1-1/4" x 6', Twin Leg, Zsnaphook and on each leg
3.6M Gate Part Number: 35246

NoPac® Web Lanyards

Polyester Web, Energy-Absorbing

- 1-1/4" x 4', Zsnaphook, rebar hook
3.6M Gate Part Number: 35377
- 1-1/4" x 6', Zsnaphook, rebar hook
3.6M Gate Part Number: 35378
- 1-1/4" x 6', Twin Leg, Zsnaphook, rebar hook
3.6M Gate Part Number: 35379

Flex-NoPac® Web Lanyards

Polyester Web, Energy-Absorbing

- 1-1/2" x 6', Rebar Hook, Loop, Stretches 4.5' - 6'
3.6M Gate Part Number: 35404
- 1-1/2" x 6', Twin Leg, Zsnaphook and 17426 carabiner on each leg, Stretches 4.5' - 6'
3.6M Gate Part Number: 35406
- 1-1/2" x 6', Twin Leg, Zsnaphook, 17237 Carabiner, Stretches 4.5' - 6'
3.6M Gate Part Number: 35416
- 1-1/2" x 6', Zsnaphook each end, Stretches 4.5' - 6'
3.6M Gate Part Number: 35427

- 1-1/2" x 6', Twin Leg, Zsnaphook and on each leg, Stretches 4.5' - 6'
3.6M Gate Part Number: 35428

- 1-1/2" x 6', Zsnaphook, Rebar Hook, Stretches 4.5' - 6'
3.6M Gate Part Number: 35477

- 1-1/2" x 6', Twin Leg, Zsnaphook, Rebar Hook, Stretches 4.5' - 6'
3.6M Gate Part Number: 35478

Elk River 3.6 M Gate Energy-Absorbing Lanyards

3600 lb. (16kN) Gate

TX-12 NoPac® Web Lanyards

Polyester Web, Energy-Absorbing

- 1-1/2" x 6', Zsnaphook on each end
3.6M Gate Part Number: 35527*



- 1-1/2" x 6', Twin Leg, Zsnaphook and on each Leg
3.6M Gate Part Number: 35528*



- 1-1/2" x 6', Twin Leg, Zsnaphook and Rebar Hook on each leg
3.6M Gate Part Number: 35598*



TX-12 Flex-NoPac® Web Lanyards

Polyester Web, Energy-Absorbing

- 1-1/2" x 6', Zsnaphook on each end, Stretches 4.5'-6'
3.6M Gate Part Number: 35627*



- 1-1/2" x 6', Twin Leg, Zsnaphook and on each leg, Stretches 4.5'-6'
3.6M Gate Part Number: 35628*



* Designed for Factor 2 falls or worker mass 200lbs. - 386lbs.

TX-12 Flex-NoPac® Web Lanyards

Nylon & Polyester Web, Energy-Absorbing

- 1-1/2" x 6', Twin Leg, CenturionZ Snaphook and Rebar Hook on each leg, with Rescue Rings and steel connectors, Stretches 4.5'-6'
3.6M Gate Part Number: 35679*



Polyester Web, Energy-Absorbing

- 1-1/2" x 6', Twin Leg, Zsnaphook, Rebar Hook, Stretches 4.5'-6'
3.6M Gate Part Number: 35678*



Nylon & Polyester Web, Energy-Absorbing

- 1-1/2" x 6', Twin Leg, Captive Eye Aluminum Carabiner and Auto-lock carabiner on each leg, with Rescue Rings and steel connectors, Stretches 4.5'-6'
3.6M Gate Part Number: 35689*



Flex-NoPac® Web Lanyards

Polyester Web, Energy-Absorbing

- 1-1/2" x 6', Twin Leg, Captive Eye Carabiner, Aluminum Carabiner on each leg, Stretches 4.5'-6'
3.6M Gate Part Number: 35716



CenturionZ™ ZORBER® Rope Lanyards

Nylon Rope, Energy-Absorbing

- 1/2" x 6', Zsnaphook on each end
3.6M Gate Part Number: 36166
- 1/2" x 6', Zsnaphook, Rebar Hook
3.6M Gate Part Number: 36180



New

New

New

CenturionZ™ ZORBER® Web Lanyards



Nylon Web, Energy-Absorbing

- 1" x 6', Zsnaphook on each end
3.6M Gate Part Number: 36266




- 1" x 6', Twin Leg, Zsnaphook and on each leg
3.6M Gate Part Number: 36267

CenturionZ™ ZORBER® Web Lanyards




Nylon Web, Energy-Absorbing

- 1" x 6', Zsnaphook on ZORBER® end, Rebar Hook
3.6M Gate Part Number: 36356



- 1" x 6', Twin Leg, Zsnaphook, and Rebar Hook on each leg
3.6M Gate Part Number: 36357
- 1" x 6', Twin Leg, Adjustable, Zsnaphook and on each leg
3.6M Gate Part Number: 36528

Flex-ZORBER® Web Lanyards



Nylon & Polyester Web, Energy-Absorbing

- 1-1/2" x 6', Zsnaphook, Loop on ZORBER® end, Stretches 4.5'-6'
3.6M Gate Part Number: 36801
- 1-1/2" x 6', Captive Eye Snaphook, Loop on ZORBER® end, Stretches 4.5'-6'
3.6M Gate Part Number: 36802
- 1-1/2" x 6', Twin Leg, Zsnaphook and Carabiner on each leg, Stretches 4.5'-6'
3.6M Gate Part Number: 36806

Flex-ZORBER® Web Lanyards



Nylon & Polyester Web, Energy-Absorbing

- 1-1/2" x 6', Zsnaphook on each end
3.6M Gate Part Number: 36827

Flex-ZORBER® Web Lanyards



- 1-1/2" x 6', Twin Leg, Zsnaphook and on each leg, Stretches 4.5'-6'
3.6M Gate Part Number: 36828



- 1-1/2" x 6', Zsnaphook, Rebar Hook, Stretches 4.5'-6'
3.6M Gate Part Number: 36887



- 1-1/2" x 6', Twin Leg, Zsnaphook and Rebar Hook on each leg, Stretches 4.5'-6'
3.6M Gate Part Number: 36897



- 1-1/2" x 6', Split Leg 3', Twin Leg, Zsnaphook and Rebar Hook on each leg
3.6M Gate Part Number: 36966
- 1-1/2" x 6', Split Leg 2', Twin Leg, Zsnaphook and Rebar Hook on each leg
3.6M Gate Part Number: 36967


Elk River 3.6 M Gate Energy-Absorbing Lanyards

3600 lb. (16kN) Gate

Choker Tie-Back ZORBER® Web Lanyards

Nylon & Polyester Web, Energy-Absorbing


- 1" x 6', Zsnaphook ZORBER® end, Captive Eye Snaphook
3.6M Gate Part Number: 36926



^ This detail shows the red nylon strength member is enclosed by a durable wear cover of polyester.



- 1" x 6', Twin Leg, Zsnaphook and Captive Eye Snaphook on each leg
3.6M Gate Part Number: 36936



^ This detail shows the red nylon strength member is enclosed by a durable wear cover of polyester.




ZORBER® Tie-Back Web Lanyards

Nylon & Polyester Web, Energy-Absorbing

- 1" x 6', Sliding D-ring, Zsnaphook on each end
3.6M Gate Part Number: 36940



- 1" x 6', Twin Leg, Sliding D-ring, Zsnaphook and on each leg
3.6M Gate Part Number: 36941



NoPac® Web Lanyards

Nylon & Polyester Web, Energy-Absorbing

- 1-1/4" x 4', Zsnaphook each end
3.6M Gate Part Number: 38327
- 1-1/4" x 6', Zsnaphook each end
3.6M Gate Part Number: 38328
- 1-1/4" x 6', Twin Leg, Zsnaphook and Rebar hook each leg
3.6M Gate Part Number: 38379



GAC Positioning Lanyards

**Galvanized Aircraft Cable, Vinyl Coated
Man-Rated 310 lbs.**

New

- 1/4" x 4' GAC, 2" ring and Zsnaphook
3.6M Gate Part Number: 13614
- 1/4" x 6' GAC, 2" ring and Zsnaphook
3.6M Gate Part Number: 13616



CenturionZ™ Rope Lanyards

Rope, Positioning

- 1/2" x 2', Zsnaphook each end
3.6M Gate Part Number: 28012
- 1/2" x 3', Zsnaphook each end
3.6M Gate Part Number: 28013
- 1/2" x 4', Zsnaphook each end
3.6M Gate Part Number: 28014
- 1/2" x 5', Zsnaphook each end
3.6M Gate Part Number: 28015
- 1/2" x 6', Zsnaphook each end
3.6M Gate Part Number: 28016



CenturionZ™ Web Lanyards

Nylon Web, Positioning

- 1" x 6', Zsnaphook each end
3.6M Gate Part Number: 29026



CenturionZ™ Web Lanyards

Nylon Web, Positioning

- 1" x 6', Adjustable, Zsnaphook each end
3.6M Gate Part Number: 29506
- 1" x 10', Adjustable, Zsnaphook each end
3.6M Gate Part Number: 29510



Quick-Adjustable Lanyards

Nylon Rope, Positioning

- 5/8" x 6', Adjustable, Rope Grab, Zsnaphook, Carabiner
3.6M Gate Part Number: 34406



- 5/8" x 6', Zsnaphook; Carabiner required
3.6M Gate Part Number: 34416



New



ErgoGrip Close up

- 1/2" x 6.5', Adjustable, ErgoGrip, Zsnaphook; Carabiner required
3.6M Gate Part Number: 34496



New



ErgoGrip Close up

Eagle® Series Web Lanyards

Nylon Web, Positioning

- 1" x 6', CenturionZ Zsnaphook on each end
3.6M Gate Part Number: 63016



Elk River Energy-Absorbing Lanyards

ZORBER® Rope Lanyards

Nylon Rope, Energy-Absorbing

- 1/2" x 3', Snaphook on each end
Part Number: 27123
- 1/2" x 4', Snaphook on each end
Part Number: 27124
- 1/2" x 5', Snaphook on each end
Part Number: 27125
- 1/2" x 6', Snaphook on each end
Part Number: 27126



ZORBER® Web Lanyards

Nylon Web, Energy-Absorbing


- 1" x 3', Snaphook on each end
Part Number: 27223
- 1" x 4', Snaphook on each end
Part Number: 27224
- 1" x 5', Snaphook on each end
Part Number: 27225
- 1" x 6', Snaphook on each end
Part Number: 27226



- 1" x 6', Twin Leg, Snaphook and on each leg
Part Number: 27236



- 1" x 6', Twin Leg, Snaphook and Rebar Hook on each leg
Part Number: 27296



- 1" x 6', Adjustable, Snaphook and on each leg
Part Number: 27526



NoPac® Web Lanyards

Polyester Web, Energy-Absorbing

- 1-1/4" x 4', Snaphook on each end
Part Number: 35324
- 1-1/4" x 6', Snaphook on each end
Part Number: 35326



- 1-1/4" x 6", Twin Leg, Snaphook and on each leg
Part Number: 35346



- 1-1/4" x 6', Snaphook, Rebar Hook
Part Number: 35376



- 1-1/4" x 6', Twin Leg, Snaphook, Rebar Hook
Part Number: 35386



Nylon & Polyester Web, Energy-Absorbing

- 1" x 6', Rebar Hook, Loop
Part Number: 38276

Elk River Energy-Absorbing Lanyards

Flex-NoPac® Web Lanyards

Polyester Web, Energy-Absorbing

- 1-1/2" x 6', Snaphook on each end
Part Number: 35426



- 1-1/2" x 6', Twin Leg, Snaphook and on each leg
Part Number: 35446



- 1-1/2" x 6', Snaphook, Rebar Hook
Part Number: 35476



- 1-1/2" x 6', Twin Leg, Snaphook and Rebar Hook on each leg
Part Number: 35486



Flex-ZORBER® Web Lanyards

Nylon & Polyester Web, Energy-Absorbing

- 1-1/2" x 6', Snaphook, Form Hook
Part Number: 36816
- 1-1/2" x 6', Snaphook on each end
Part Number: 36826



- 1-1/2" x 6', Twin Leg, Snaphook and on each leg
Part Number: 36836



- 1-1/2" x 6', Snaphook, Rebar Hook
Part Number: 36876

- 1-1/2" x 6', Twin Leg, Snaphook and Rebar Hook on each leg
Part Number: 36886

Nylon NoPac® Web Lanyards

Nylon & Polyester Web, Energy-Absorbing

- 1-1/4" x 4', Snaphook on each end
Part Number: 38324
- 1-1/4" x 6', Snaphook on each end
Part Number: 38326
- 1-1/4" x 6', Twin Leg, Nylon Web, Snaphook on each leg
Part Number: 38344
- 1-1/4" x 6', Twin Leg, Nylon Web, Snaphook on each leg
Part Number: 38346
- 1-1/4" x 6', Nylon Web, Snaphook and Rebar Hook
Part Number: 38376
- 1" x 6', Twin Leg, Nylon Web Snaphook and Rebar Hook on each leg
Part Number: 38386



Elk River Positioning Lanyards



Rope Positioning Lanyards

Nylon Rope, Positioning

- 1/2" x 3', Snaphook on each end
Part Number: 25003
- 1/2" x 4', Snaphook on each end
Part Number: 25004
- 1/2" x 5', Snaphook on each end
Part Number: 25005
- 1/2" x 6', Snaphook on each end
Part Number: 25006



Web Positioning Lanyards

Nylon Web, Positioning

- 1" x 3', Snaphook on each end
Part Number: 26003
- 1" x 4', Snaphook on each end
Part Number: 26004
- 1" x 5', Snaphook on each end
Part Number: 26005
- 1" x 6', Snaphook on each end
Part Number: 26006

Elk River Rescue Equipment



resQue™ Cord System Web Lanyards

Nylon & Polyester Web, Energy-Absorbing

- 1-1/4" x 6', Twin Leg, Zsnaphook on each end, self contained rescue ladder
3.6M Gate Part Number: 35826



Self Rescue with the resQue™ Cord System

After a fall, with the resQue™ Cord System, a worker can rescue himself by simply tugging on the Q-Cord and climbing to safety.

Reduced hang time could prevent additional injury and reduce discomfort, stress and even downtime.

New

Self Rescue / Escape Kit

Typical Kit Includes:

- Escape / Rescue Only Harness
- EZE-Man® Auto Descent Self Rescue Device, 100' rope **3.6M Gate**
- EZE-Man™ Sling, 1-3/4" x 6' with Two D-rings
- EZE-Man™ Rope Bag, 12" x 20"

Self Rescue / Escape Kit

Part Number: 97800

Call for custom Rescue Kit information.




**Rescue Only Harness
Not for Fall Arrest**


Rebar Assemblies are positioning and restraint systems used in situations to limit free fall distances. Choose between chain or web and swivel or non-swivel snaphooks.

Rebar Chain Assemblies

Rebar Web Assemblies




13420
25-1/2" with Adjuster
and (2) Snaphooks
and a Rebar Hook



13425
25-1/2" with Adjuster
and (2) Snaphooks
and a Swivel Rebar Hook



29741
1" x 18" with
Rebar Hook
and (2) Zsnaphooks



29761
1" x 18" with
(2) Zsnaphooks
and a Swivel Rebar Hook

3600 lb. Gate

3600 lb. Gate




Rebar web positioning assembly being used in a tower climbing application.

Elk River Rope & Wire Grabs

Rope Grabs



19212
5/8" Trailing Rope Grab with attached 1/2" x 2' nylon rope lanyard with CenturionZ Snaphook **3.6M Gate**



19213
5/8" Trailing Rope Grab with attached 1/2" x 3' nylon rope lanyard with CenturionZ Snaphook **3.6M Gate**



19222
5/8" Trailing Rope Grab with attached 1" x 2' nylon web lanyard with Centurion Snaphook



19223
5/8" Trailing Rope Grab with attached 1" x 3' Web Lanyard with CenturionZ Snaphook **3.6M Gate**

New



19250
5/8" x 3/4" Dual Size Trailing Rope Grab with 2" ring, with Anti-inversion feature



19273
5/8" Rope Grab with attached Web 1" x 3' ZORBER® Lanyard with CenturionZ Snaphook **3.6M Gate**

Available 2nd Qtr. 2009

Wire Rope Grabs


Wire Rope Grabs require 17450 Carabiner.



19400
3/8" - 5/16" Dual Wire Rope Grab (Requires 17450 Auto-twist lock Carabiner)



19401
3/8" Wire Rope Grab (Requires 17450 Auto-twist lock Carabiner)




19402
5/16" Wire Rope Grab (Requires 17450 Auto-twist lock Carabiner)

Anti-inversion attachment




Lifelines

Nylon Rope



- 24825**
5/8" x 25' Rope Lifeline with Thimble eyes on each end
- <24850**
5/8" x 50' Rope Lifeline with Thimble eyes on each end
- 24875**
5/8" x 75' Rope Lifeline with Thimble eyes on each end
- 24900**
5/8" x 100' Rope Lifeline with Thimble eyes on each end



3600 lb. Gate

- <34125**
5/8" x 25' Rope Lifeline with Zsnaphook on each end
- 34150**
5/8" x 50' Rope Lifeline with Zsnaphook on each end
- 34175**
5/8" x 75' Rope Lifeline with Zsnaphook on each end
- 34200**
5/8" x 100' Rope Lifeline with Zsnaphook on each end



3600 lb. Gate

- <34911**
5/8" x 25' Rope Lifeline with CenturionZ Snaphook and thimble eye
- 34912**
5/8" x 50' Rope Lifeline with CenturionZ Snaphook and thimble eye
- 34913**
5/8" x 75' Rope Lifeline with CenturionZ Snaphook and thimble eye
- 34914**
5/8" x 100' Rope Lifeline with CenturionZ Snaphook and thimble eye




- 60901**
4" x 1' Ropeguard, Nylon Web
- Other lengths are available.**

Custom rope lengths and 600' spools (P/N 21106) are available.

ConstructionPlus® Lifelines


Polyester / Polypropylene Lifelines



- 49801**
5/8" x 25' CP+™ Rope Lifeline with and thimble eye each end
- <49802**
5/8" x 50' CP+™ Rope Lifeline with and thimble eye each end
- 49803**
5/8" x 75' CP+™ Rope Lifeline with and thimble eye each end
- 49804**
5/8" x 100' CP+™ Rope Lifeline with and thimble eye each end




- 49811**
5/8" x 25' CP+™ Rope Lifeline with Snaphook each end
- <49812**
5/8" x 50' CP+™ Rope Lifeline with Snaphook each end
- 49813**
5/8" x 75' CP+™ Rope Lifeline with Snaphook each end
- 49814**
5/8" x 100' CP+™ Rope Lifeline with Snaphook each end



3600 lb. Gate

- 49821**
5/8" x 25' CP+™ Rope Lifeline with Zsnaphook and thimble eye
- <49822**
5/8" x 50' CP+™ Rope Lifeline with Zsnaphook and thimble eye
- 49823**
5/8" x 25' CP+™ Rope Lifeline with Zsnaphook and thimble eye
- 49824**
5/8" x 100' CP+™ Rope Lifeline with Zsnaphook and thimble eye



3600 lb. Gate

- 49901**
5/8" x 30' CP+™ Rope Lifeline with AT Rope Grab and 2' Web ZORBER® with Zsnaphooks
- <49902**
5/8" x 50' CP+™ Rope Lifeline with AT Rope Grab and 2' Web ZORBER® with Zsnaphooks

Elk River Fall-Rated Snaphooks



13101
CenturionZ Snaphook
5" x 2-1/2" x 3/4" Gate Opening
Fall-Rated

3600 lb. (3.6M) Gate



13128
Pincer™ Snaphook
6" x 3-1/4" x 3/4" Gate Opening
Fall-Rated

3600 lb. (3.6M) Gate

New



13450
Separator Snaphook,
9-3/4" x 2-1/4" x
3/4" Gate Opening
Fall-Rated

3600 lb. (3.6M) Gate

New



13180
Captive Eye Snaphook, Triple-Lock
5-1/8" x 2-7/8" x 11/16" Gate Opening
Fall-Rated

3600 lb. (3.6M) Gate



13190
Captive Eye Snaphook, Auto-Twist Lock
5-1/8" x 2-7/8" x 3/4" Gate Opening
Fall-Rated


3600 lb. (3.6M) Gate



13195
Aluminum Captive Eye Carabiner,
Auto-twist lock,
5-1/8" x 2-7/8" x 3/4" Gate Opening
Fall-Rated

3600 lb. (3.6M) Gate

New



13216
CenturionZ Rebar Snaphook,
Autolock, 9-1/2" x 5" x 2-1/4" Gate Opening
Fall-Rated

3600 lb. (3.6M) Gate



13218
CenturionZ Rebar
Snaphook, Autolock,
9-1/2" x 5" x 2-1/2" Gate Opening
Fall-Rated

3600 lb. (3.6M) Gate

New




13314
CenturionZ Swivel Snaphook
Autolock,
7-1/4" x 3" x 3/4" Gate Opening
Fall-Rated

3600 lb. (3.6M) Gate



13321
CenturionZ Swivel Snaphook
Fall Indicator, Autolock,
7-3/4" x 2-3/4" x 3/4" Gate Opening
Fall-Rated

3600 lb. (3.6M) Gate




13329
CenturionZ Swivel Rebar Form
Snaphook, Fall Indicator, Autolock
11-1/2" x 5" x 2-1/2" Gate Opening
Fall-Rated

3600 lb. (3.6M) Gate

New

ANSI Z359.1-2007 Compliant Carabiners

All Elk River carabiners are made of high strength materials. All models are self-locking and closing for added safety. Carabiners are used to connect lanyards and lifelines to anchorage points. Always check that the gate is secure and locked before use.



17426
Carabiner
Auto Twist-lock, pin
1/2" x 7-1/2" x 4-1/2" x
2-1/4" Gate Opening
Fall Rated

3600 lb. (3.6M) Gate



17435
Carabiner
Auto Twist-lock, pin
1/2" x 6-5/8" x 3-7/8" x
2" Gate Opening
Fall Rated

3600 lb. (3.6M) Gate



17443
Carabiner
Auto Twist-lock, pin
1/2" x 4" x 2-1/24" x
1" Gate Opening
Fall Rated

3600 lb. (3.6M) Gate



17451
Carabiner
Auto Twist-lock,
1/2" x 3-1/2" x 1-1/2" x
3/4" Gate Opening
Fall Rated

3600 lb. (16kN) Gate




17450
Carabiner
Auto Twist-lock
3/8" x 3-1/4" x 1-1/8" x
1/2" Gate Opening
Fall Rated

3600 lb. (3.6M) Gate



17442 **New**
Aluminum Carabiner
Auto Twist-lock,
1/2" x 4" x 2" x
7/8" Gate Opening
Fall Rated

3600 lb. (16kN) Gate



17237 **New**
Aluminum Carabiner
Auto Twist-lock, pin
5/8" x 8-21/32" x 5-1/8" x
2" Gate Opening
Fall Rated

3600 lb. (3.6M) Gate

Anchages

Elk River Anchorage connector are designed to provide a strong connection to many types of anchor points:

Anchorage connectors must be capable of supporting 5000 pounds (22kN) of force per worker. The anchorage must be high enough for a worker to avoid contact, during a fall, with a lower level. The anchorage connector should be located directly above a worker to avoid a swing fall situation if the worker should fall. All anchor points should be inspected and approved by trained and qualified fall protection personnel.


Portable Connections



NC D-ring Anchorage Connector
1/2" x 13"
Fall-rated
Part Number 13020

400 lbs.


Man-rated



I-Beam Slider with Easy Adjustor Button on one end, Fixed other end, Fits 3-1/2" x 12" I-Beams
Part Number 13025

400 lbs.

Man-rated




I-Beam Slider with Adjustor Buttons on each end, Fits 3-1/2" x 14" I-Beams
Part Number 13026

400 lbs.

Man-rated


Roof Anchor Connectors



Reusable with nails
Part Number 13050



Reusable with screws
Part Number 13051



Single-use with D-ring, with screws & nails fasteners
Part Number 13055

Single-use (Six-Pack)
Part Number 13056

Web Sling



Eagle Tie-off Sling
1" x 3' full-length wear pad with 4" half loop web eye both ends
Part Number 63673

New

400 lbs.

Man-rated



WindEagle™ Anchor Sling
1-3/4" x 6' with 4" half loop web eye on both ends
Part Number 63786

Reusable Concrete Anchors



3/4" Injectible Concrete Anchor
Part Number 13080

400 lbs.

Man-rated



1" Injectible Concrete Anchor
Part Number 13081



1" Precast Hollow Core Toggle Concrete Anchor
Part Number 13082

New




3/4" Precast Concrete and Steel Toggle Anchor
Part Number 13083

Available 2nd Qtr 2009

Anchorage


Pipe Anchor Hooks



Pipe Anchor 4-1/2" x 16"
Part Number 13501

Pipe Anchor 5-3/4" x 17"
Part Number 13502

Cable Sling



New

1/4" x 4' Vinyl Coated GAC Anchorage Connector with 2" and 3" rings, Man Rated 310 lbs.

Part Number 13604

1/4" x 6' Vinyl Coated GAC Anchorage Connector with 2" and 3" rings, Man Rated 310 lbs.

Part Number 13606

Concrete Anchor Strap




New

2" x 4' Web Strap, Wearpad, Loop and D-ring, Man-rated 310lbs. Nylon and Polyester

Part Number 26764

Case Quantities Only (24 per case)

I-Beam Trolleys



400 lbs.

Man-rated

I-Beam Trolley 2-5/8" to 5-1/16"
Part Number 13060

I-Beam Trolley 5-1/16" to 7-1/2"
Part Number 13065

EZE-Man™ Slings

400 lbs.
Man-rated



1-3/4" x 12" with Two D-rings **Part Number 26770**

1-3/4" x 18" with Two D-rings **Part Number 26771**

1-3/4" x 2" with Two D-rings **Part Number 26772**

1-3/4" x 3" with Two D-rings **Part Number 26773**

1-3/4" x 4" with Two D-rings **Part Number 26774**

1-3/4" x 5" with Two D-rings **Part Number 26775**

1-3/4" x 6" with Two D-rings **Part Number 26776**

1-3/4" x 7" with Two D-rings **Part Number 26777**

1-3/4" x 8" with Two D-rings **Part Number 26778**



1-3/4" x 3' with Web Eye & D-ring **Part Number 26793**

1-3/4" x 4' with Web Eye & D-ring **Part Number 26794**

1-3/4" x 5' with Web Eye & D-ring **Part Number 26795**

1-3/4" x 6' with Web Eye & D-ring **Part Number 26796**

RETRACTAMAN

- 1-7/8" x 9'
- Retractable Lanyard with a Carabiner and a Zsnaphook
 - Made of polyester web

P/N 21210

3.6M Gate

- 1-7/8" x 9'
- Retractable Lanyard with a Carabiner and a Swivel Zsnaphook with fall indicator
 - Made of polyester web

P/N 21211

3.6M Gate

Panther[®] SERIES SRL's

Substantially built with the highly trained skilled worker in mind.

Fall arrest is serious business and the new Panther[®] Self-Retracting Lifeline is a serious solution to this demanding application. Designed with an integral spring locking mechanism to pay out and retract the 3/16" galvanized steel cable lifeline. As the worker moves, the Panther secures the worker where a fall from a height may occur.

- Sleek Styling
- Lightweight / compact
- Strong composite casing
- Smooth cable action
- Self-Retracting Lifeline (SRL)
- Variety of GAC lengths available 15', 20', 30', 50', 65'
- Fall indicating swivel Zsnaphook
- Includes tagline for easy retrieval
- Meets ANSI Z359/CSA Standards
- Man-rated to 375lbs.



Self-Retracting Lifelines, **3.6m Gate**
3/16" diameter galvanized steel cable

| | |
|------------------|--------------|
| 15' Cable | 21915 |
| 20' Cable | 21920 |
| 30' Cable | 21930 |
| 50' Cable | 21950 |
| 65' Cable | 21965 |

EZE-Man® Auto Descent Devices

EZE-Man® is your solution for emergency high-angle rescue.

Constructed of high-quality, lightweight machined aluminum, it won't weigh you down. With its automatic controlled descent, you'll get to where you're going safely. And with self-rescue and two person rescue options, it is there to get you out when you need it. Rescue efficiently and effectively with EZE-Man.

- Solution for an emergency high-angle rescue from a wide range of elevated work areas
- Automatic Controlled Descent – 3ft. / 0.9M per second
- Bidirectional design – one end of the lifeline descends as the other ascends
- Ideal for self-rescue or multiple escapes - approved for two person rescue
- Maximum number of descents - 20
- Easy installation and operation
- Two person rated - 550 lbs. (250 kg.) Total combined weight
- Available with lifting function to facilitate rescue - Hub model only
- Compliance: OSHA 1926, Subpart M, Appendix C
- ANSI Z359.4-2007, CSA Z259.2.3-99 / EN 341A
- Device is designed from high-quality, lightweight machined aluminum

EZE-Man® Auto Descent

Self-Rescue Device



(Length) Part Number:
 (50') 19805 3.6M Gate
 (100') 19810 3.6M Gate
 (150') 19815 3.6M Gate
 (200') 19820 3.6M Gate
 (250') 19825 3.6M Gate
 (300') 19830 3.6M Gate
 (350') 19835 3.6M Gate

Custom Lengths Available

EZE-Man® Auto Descent

Self-Rescue Device w/ Hub Lifting Function



(Length) Part Number:
 (50') 19905 3.6M Gate
 (100') 19910 3.6M Gate
 (150') 19915 3.6M Gate
 (200') 19920 3.6M Gate
 (250') 19925 3.6M Gate
 (300') 19930 3.6M Gate
 (350') 19935 3.6M Gate

Custom Lengths Available

Professional rescue training required to use this device.



Rope Bag (Included)

Other size bags available on Page 33.

EZE-Man® SealPac Case *

Long Term Storage - Designed for up to seven years continuous storage with annual self-inspection seals.

Case available in two sizes:
 Up to 250' SealPac Case: 97925
 Up to 500' SealPac Case: 97950

250' SealPac Case Dimensions: 10" h x 22-1/2" w x 15" d
 500' SealPac Case Dimensions: 15" h x 31-1/2" w x 15" d



EZE-Man® SealPac Case

Typical Kit Includes:

- Weather Resistant Case
- EZE-Man® Auto-Descent Self-Rescue Device, with or without Hub 3.6M Gate
- 2 Rescue Harnesses - for emergency self-rescue only
- Rope Bag 84303 - holds up to 500' kernmantle rope
- Self-Inspection Seals
- SealPac Bag Opener
- Standard or Customized Rope Lengths

Call an Elk River Distributor for a custom quote.

* All components sold separately.

Elk River, Inc.
 Personal Fall Protection

Fall Protection Kits



Fall Protection Kits

- 48103 CP+™ Harness with one D-ring
- 6' CP+NoPac® Energy-Absorbing Web Lanyard with Snaphooks ea. end
- Bag

(One Size Fits Most)
Part Number: **(S-XL) 05501**



1

Fall Protection Kits



CP+ Fall Protection Kits

- 48013 CP+™ Harness with mating buckles
- Attached 1-1/4" x 6' NoPac® Energy-Absorbing Web Lanyard with Snaphook
- Soft Loop to D-slider
- Bag

(One Size Fits Most)
Part Number: **(S-XL) 05513**



Fall Protection Kits



Fall Protection Kits

- 48303 CP+™ Harness with three D-rings
- 6' CP+™NoPac® Energy-Absorbing Web Lanyard with Snaphooks ea. end
- Bag

(One Size Fits Most)
Part Number: **(S-XL) 05503**



3

Fall Protection Kits



CP+ Fall Protection Kits

- CP+™ 48103 Harness with one D-ring
- NoPac® 6' x 1-1/4" Energy-Absorbing Web Lanyard with Snaphooks on both ends
- EZE-Man™ 6' sling
- Boxed kit

(One Size Fits Most)
Part Number: **(S-XL) 01665**



1

Fall Protection Kits



Aerial Lift Kits

- 55102/55104 Freedom® Harness
- Attached 1" x 6' ZORBER® Energy-Absorbing Web Lanyard with Pincer™ Snaphook
- Bag

(Available Sizes) Part Number:
(S-L) 05512
(L-XL) 05514

3600 lb. Gate



Fall Protection Kits



CP+ Fall Protection Kits

- CP+™ 48303 Harness with three D-rings
- NoPac® 6' x 1-1/4" Energy-Absorbing Web Lanyard with Snaphooks on both ends
- EZE-Man™ 6' sling
- Boxed kit

(One Size Fits Most)
Part Number: **(S-XL) 01666**



3

Custom Logo Kits Available



Fall Protection Kits

Oil Rigger's Kits



- SaddleMaster Harness with 4 D-rings
- 12" extended D-ring at center back for easy attach/detach at shoulder
- D-ring at lower back waist
- D-rings on saddle with snaps
- Mating buckles at chest strap
- Tongue buckles on leg straps
- 4" backpad at waist and saddle
- Carry-all bag

(Available Sizes) Part Number:
(XS) 76470
(S) 76471
(M) 76472
(L) 76473
(XL) 76474
(2XL) 76475
(3XL) 76476



Back View

Fall Protection Kits

Roofer's Kits



- CP+™ 48103 one D-ring Harness
- 50' x 5/8" CP+™ Lifeline with attached rope grab and attached 2' ZORBER® web lanyard with Zsnaphook **3.6M Gate**
- Single-use Roof Anchor with fasteners
- Bucket
- Certified ANSI/CSA

(One Size Fits Most)
Part Number (S-XL) 05000



Fall Protection Kits

Roofer's Kits



- CP+™ 48103 one D-ring Harness
- 30' x 5/8" CP+™ Lifeline with attached rope grab and attached 2' ZORBER® web lanyard with 13102 Zsnaphook **3.6M Gate**
- Reusable Roof Anchor with fasteners
- Bucket
- Certified ANSI/CSA

(One Size Fits Most)
Part Number: (S-XL) 05100



Fall Protection Kits

Roofer's Kits



- CP+™ 48103 one D-ring Harness
- 50' x 5/8" CP+™ Lifeline with Zsnaphook **3.6M Gate** /thimble
- 5/8" x 3' trailing rope grab with attached nylon web lanyard and Zsnaphook **3.6M Gate**
- Reusable Roof Anchor with fasteners
- Bucket
- Certified ANSI

(One Size Fits Most)
Part Number: (S-XL) 05003



Work Belts

Work Belts are for positioning work only:

They must be used in combination with a full body harness for fall arrest.

Standard Replacement Work Belts



| | |
|-----|--------------|
| XS | 02000 |
| S | 02001 |
| M | 02002 |
| L | 02003 |
| XL | 02004 |
| 2XL | 02005 |
| 3XL | 02006 |


Miner's Belts: 3" Backpad



1 D-ring; reinforced vinyl belts (both hips) for respirator and battery pack attachment; tongue buckle closure.


| | |
|----|--------------|
| XS | 03190 |
| S | 03191 |
| M | 03192 |
| L | 03193 |
| XL | 03194 |

Work Belts: 3" Pad & 2 D-rings



| | |
|-------------|--------------|
| Double D XS | 03200 |
| Double D S | 03201 |
| Double D M | 03202 |
| Double D L | 03203 |
| Double D XL | 03204 |

Eagle® DL Work Belts



Deluxe Work Belt with 5" Backpad, 2 D-rings, and removable belt

| | |
|-----|--------------|
| XS | 03280 |
| S | 03281 |
| M | 03282 |
| L | 03283 |
| XL | 03284 |
| 2XL | 03285 |
| 3XL | 03286 |

<< WARNING: Work Belts are NOT for fall arrest! >>

Bosun's Seats

Universal Bosun's Seat



12" x 24" platform seat of 1" laminated plywood with a four point nylon suspension system, 13003 D-ring attachment point, waistbelt, plus two bucket snaps each end for attaching equipment

(Universal Sizing) S-XL
Part Number: **85809**

Deluxe Bosun's Seat



12" x 24" platform seat of 1" laminated plywood with a four point nylon suspension system, 13003 D-ring attachment point, waistbelt, plus two bucket snaps each end for attaching equipment,

| | |
|----|--------------|
| XS | 85820 |
| S | 85821 |
| M | 85822 |
| L | 85823 |
| XL | 85824 |

Bosun's Seats must be used in combination with a personal fall arrest system.

Bags



White Cotton Duck Bucket

12" x 15" with plastic bottom; 6" x 6" inside pocket; brass snaphook on rope handle

Part Number: 84403

EZE-Man® Rope Bags



Heavy-duty nylon rope bag features carry handles, 2 D-ring attachments at top and drawstring closure top - size 12" x 12" x 16"; color: black

New

12" x 12" Part Number: 84302
Holds up to 350' (106M) of ½" (12mm) diameter Kernmantle Rope

12" x 16" Part Number: 84303
Holds up to 450' (137M) of ½" (12mm) diameter Kernmantle Rope

12" x 20" Part Number: 84304
Holds up to 550' (167M) of ½" (12mm) diameter Kernmantle Rope

EZE-Man® Backpack Rope Bag



Heavy-duty nylon back pack features: carry handles, drawstring top closure, rope attachment loop in bottom/top of bag

27" h x 12" w Part Number: 84310 (S)
32" h x 12" w Part Number: 84311 (L)

New



Bolt Bags



Red Canvas Bolt Bag

2.5" x 10" x 9", Belt Tunnel

Part Number: 84520



Red Canvas Bolt Bag

2.5" x 10" x 9", Belt Tunnel, Draw String

Part Number: 84521

White Duck Bolt Bag



8" x 4" x 10", Nylon Strap, Inside Pocket, with Belt Snap Straps

Part Number: 88199

Canvas Deep Bolt Bag



2.5" x 10" x 14", Deep Drawstring, Belt Tunnel and Inside Pocket

Part Number: 84522

Utility Bags

New

Sturdy Red Weather Resistant Bag

11" x 24" x 14" Deep with heavy duty zipper, rigid bottom, and footed cleats

Part Number: 84221

Sturdy Camo Weather Resistant Bag

11" x 24" x 14" Deep with heavy duty zipper, rigid bottom, and footed cleats

Part Number: 84231



Great for carrying all your fall protection equipment

Duffle Bag

Heavy-duty Nylon Bag

22.5" x 11" x 11", Carry Handles, and Shoulder Strap

Part Number: 88010



Elk River Confined Space Entry and Rescue Assemblies

Field-proven leaders in tripod entry and rescue systems.

Confined Space Entry and Rescue Systems are designed for lowering and lifting personnel into and out of confined spaces where a tripod system is required. Man-rated to 375 lbs.

Economy EZE-Man™ Confined Space Systems - 7'

**Economy EZE-Man™
Confined Space Systems Includes:**


- Deluxe EZE-Man™ Winch 3:1 Ratio
- Tripod Pulley
- Tripod Head Assembly
- Tripod Leg Assembly
- One Auto-lock Carabiner*
- Yoke
- Tote Bag
- Tripod Bag
- Winch Bag
- Harness bag
- Five D-ring Universal® Harness
- Rope Grab with Lanyard
- Nylon Rope Lifeline

Available in the following lengths:

- 50' 05612
- 100' 05614

- Tripod Assembly Parts
- EZE-Man™ Head Assembly 15300
- EZE-Man™ Leg Assembly,
telescopic legs 4.5' - 7' 15301

*** All Snaphooks & carabiners meet
new ANSI Z359.1-2007 Standards**



Field-tested and Rugged — two proven winners, One First-rate System.
Combining a Panther® Self-Retracting Lifeline with an Elk River Tripod System offers a superior solution in a challenging work environment.

EZE-Man™ Confined Space Systems

**EZE-Man™
Confined Space Systems Includes:**

- Deluxe EZE-Man™ Winch 3:1 Ratio
 - Tripod Pulley
 - Tripod Head Assembly
 - Tripod Leg Assembly
 - Two Auto-lock Carabiners*
 - Yoke
 - Tote Bag
 - Tripod Bag
 - Winch Bag
 - Harness Bag
 - Five D-ring Universal® Harness
 - Panther® Self-Retracting Lifeline
- Available in the following lengths:

50' 05632

65' 05635

Leg Mount with EZE-Man™ Winch
21025 -21100 13075

Deluxe EZE-Man™ Winch
3:1 ratio with quick connect
leg attachment, various
GAC lengths available

50' 21150
65' 21165



42559

* All Snaphooks & carabiners meet
new ANSI Z359.1-2007 Standards



Retail Products in Clamshell Packaging

Designed with retail efficiency in mind:

An effective, efficient, and professional marketing tool for a hand-picked selection of Elk River's most popular products. The clamshell packaging provides just the right solution for displaying products in precious store space. This versatile retail solution can be display either by hanging or freestanding.



Retail Clamshell Packaging

- Tie-off Sling: 26773, 1-3/4" x 3' See Page 27
Part Number: 01800
- Tie-off Sling: 26774, 1-3/4" x 4' See Page 27
Part Number: 01801
- Tie-off Sling: 26775, 1-3/4" x 5' See Page 27
Part Number: 01802
- Tie-off Sling: 26776, 1-3/4" x 6' See Page 27
Part Number: 01803
- NoPac® Energy-Absorbing Lanyard: 35326, 1" x 6',
Snaphook on each end See Page 18
Part Number: 01804
- NoPac® Energy-Absorbing Lanyard: 35346, 1" x 6', Twin Leg
Snaphook and on each leg See Page 18
Part Number: 01805
- ConstructionPlus® One D-ring Harness: 48103 See Page 10
Mating Buckles, S-XL **Part Number: 01809**
- ConstructionPlus® Three D-ring Harness: 48303 See Page 10
Mating Buckles, S-XL **Part Number: 01810**
- Freedom One D-ring Harness: 55102 See Page 8
Mating Buckles, S-L **Part Number: 01811**
- Freedom One D-ring Harness: 55104 See Page 8
Mating Buckles, L-XL **Part Number: 01812**
- Freedom Three D-ring Harness: 55302 See Page 8
Mating Buckles, S-L **Part Number: 01813**
- Freedom Three D-ring Harness: 55304 See Page 8
Mating Buckles, L-XL **Part Number: 01814**
- Flex-NoPac® Energy-Absorbing Lanyard: 35426 See Page 19
1-1/2" x 6', Snaphook on each end **Part Number: 01818**
- Flex-NoPac® Energy-Absorbing Lanyard: 35426 See Page 19
1-1/2" x 6', Twin Leg, Snaphook and on each leg **Part Number: 01819**

Retail Clamshell Packaging

- ConstructionPlus® One D-ring Harness with attached
6' NoPac Energy-Absorbing Lanyard: 48113 See Page 9
3.6M Gate Part Number: 01822
- NoPac® Energy-Absorbing Lanyard: 35216 See Page 13
1-1/4" x 6', CenturionZ Snaphook on each end **Part Number: 01826**
3.6M Gate
- NoPac® Twin Leg Energy-Absorbing Lanyard: 35246 See Page 13
1-1/4" x 6', CenturionZ Snaphook and on each leg **Part Number: 01827**
3.6M Gate
- Flex-NoPac® Energy-Absorbing Lanyard: 35427 See Page 13
1-1/2" x 6', CenturionZ Snaphook on each end **Part Number: 01828**
3.6M Gate
- Flex-NoPac® Twin Leg Energy-Absorbing Lanyard: See Page 13
35428, 1-1/2" x 6', CenturionZ Snaphook and on each leg **Part Number: 01829**
3.6M Gate
- ZORBER® Energy-Absorbing Web Lanyard: 36266 See Page 15
1" x 6', CenturionZ Snaphook on each end **Part Number: 01833**
3.6M Gate
- ZORBER® Energy-Absorbing Web Lanyard: See Page 14
36267, Twin Leg, 1" x 6', CenturionZ Snaphook and on each leg **Part Number: 01834**
3.6M Gate



Back Support

**Extra Effective,
Extra Protective,
Extra Comfort:**

The Back-EZE™ offers comfortable support which promotes proper lifting techniques under a variety of conditions.



Back Support Retail Packaging

Back-EZE™ Belt

Black



- (XS) Part Number: 30000
- (S) Part Number: 30001
- (M) Part Number: 30002
- (L) Part Number: 30003
- (XL) Part Number: 30004
- (2XL) Part Number: 30005
- (3XL) Part Number: 30006



Back-EZE™ Belt

Safety Green



- (XS) Part Number: 40020
- (S) Part Number: 40021
- (M) Part Number: 40022
- (L) Part Number: 40023
- (XL) Part Number: 40024
- (2XL) Part Number: 40025
- (3XL) Part Number: 40026



Back-EZE™ Belt

Black with Suspenders



- (XS) Part Number: 40000
- (S) Part Number: 40001
- (M) Part Number: 40002
- (L) Part Number: 40003
- (XL) Part Number: 40004
- (2XL) Part Number: 40005
- (3XL) Part Number: 40006



Back-EZE™ Belt

Safety Orange



- (XS) Part Number: 40040
- (S) Part Number: 40041
- (M) Part Number: 40042
- (L) Part Number: 40043
- (XL) Part Number: 40044
- (2XL) Part Number: 40045
- (3XL) Part Number: 40046



**Elk River is a
ISO 9001-2000 registered
company and operates a
compliant quality system under
ISO, CSA and ANSI
guidelines.**

**Sizing Chart for Full Body Harnesses with
Integral Waistbelt**

Proper fit is critical for personal safety and working comfort.

| Size | Waist Measurements | |
|------|--------------------|---------------|
| | (Inches) | (Centimeters) |
| 3XS | 20-28 | 50-70 |
| 2XS | 24-32 | 60-80 |
| XS | 28-36 | 70-90 |
| S | 32-40 | 80-100 |
| M | 36-44 | 90-110 |
| L | 40-48 | 100-120 |
| XL | 44-52 | 110-130 |
| 2XL | 48-56 | 120-140 |
| 3XL | 52-60 | 130-150 |

NOTE: Measure over clothing and waist sizes are at the navel. Not all harnesses are available in all sizes.

Wind Energy Products

New equipment designed specifically for Wind
Energy applications. See Page 12 for
complete descriptions.



62434



62454



35679

CSA Class Symbols



Fall Arrest



Positioning



Retrieval



Suspension



Ladder
Climbing

We have adopted the use of the figures and symbols below to
indicate the suggested use of a particular product:

Note: All products conform to OSHA Regulations and ANSI/CSA
Standards as of date of manufacture.

Elk River, Inc. believes the information in this catalog is accurate as of
its publication date. Such information is subject to change without
notice. Elk River is not responsible for inadvertent errors.

GME Supply, Inc.
13620 Old Highway 40
Boonville, MO 65233
U.S.A.

Ph: 800-940-6763
Fx: 775-490-1300
www.gmesupply.com


Rope Grabs Page 22



Retractables Page 28



Anchorage Page 27



Rebar Assy Page 21



Auto Descent Page 29



Confined Space Page 34



Retail Products Page 36

